

according to 1907/2006/EC, Article 31

Version number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product identification: Concentrated mixture of aromatic raw materials (fragrance)

Name: 4ANGELS - PRIME RANGE

### 1.2 Relevant identified uses of the mixture

Manufacturing use only. Not for personal use in this form or concentration

## 1.3 Details of the supplier of the safety data sheet

Company: Escentscia Limited

Address: 6 Pioneer Park, Clough Road, Hull. HU6 7HW UK.

e-mail: msds@escentscia.uk website: www.escentscia.uk Telephone: +44 (0)1482 332766

## 1.4 Emergency telephone number

Emergency telephone number: +44 (0)1482 332766

Opening hours: 09:00-16:00

Further information obtainable from: Technical Department

**1.4 Emergency telephone number:** National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



according to 1907/2006/EC, Article 31

Version number 1



Skin Sens. 1

H317 May cause an allergic skin reaction.

#### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms** 





GHS07

GHS09

## Signal word Warning

## Hazard-determining components of labelling:

alpha-Hexylcinnamaldehyde

Coumarin

Lemon oil, terpenes

4-Methoxy-alpha-methylbenzenepropanal

3,7-Dimethyl-1,6-nonadien-3-ol

Isolongifolene ketone

linalyl acetate

Linalool

Orange oil

2-Methyl-3-(p-isopropylphenyl)propionaldehyde

Lemon oil

Gurjun oil

hexyl salicylate

Acetyl cedrene

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde

### **Hazard statements**

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.



## according to 1907/2006/EC, Article 31

### Version number 1

P280 Wear protective glove	P280	Wear protective gloves.
----------------------------	------	-------------------------

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

### **Dangerous components:**

Dangerous components:			
CAS: 84-66-2 diethyl phthalate		>50–≤100%	
EINECS: 201-550-6 substance with a Commun	nity workplace exposure limit		
CAS: 8014-09-3 Patchouli oil		>2.5–≤10%	
EINECS: 282-493-4 🗞 Asp. Tox. 1, H304; 🕸 A	Aquatic Chronic 2, H411		
CAS: 101-86-0 alpha-Hexylcinnamaldehyd		>2.5–≤10%	
EINECS: 202-983-3 🚯 Aquatic Acute 1, H400;	; Aquatic Chronic 2, H411; 아 Skin Sens. 1B, H317		
	,6,7,8,8-hexamethylindeno[5,6-c]pyran	>2.5–≤10%	
EINECS: 214-946-9 🚱 Aquatic Acute 1, H400;	; Aquatic Chronic 1, H410		
CAS: 121-33-5 vanillin		≥0–≤2.5%	
EINECS: 204-465-2 🕦 Eye Irrit. 2, H319			
CAS: 91-64-5 Coumarin		≥1-<2.5%	
EINECS: 202-086-7 ( ) Acute Tox. 4, H302; Ski	in Sens. 1B, H317; Aquatic Chronic 3, H412		
CAS: 68917-33-9 Lemon oil, terpenes		≥1-<2.5%	
EINECS: 284-515-8  Flam. Liq. 3, H226;  H315; Skin Sens. 1, H317	Asp. Tox. 1, H304; 🕸 Aquatic Chronic 2, H411; 🗘 Skin Irrit. 2,		
CAS: 63500-71-0 2-Isobutyl-4-methyltetrahy	ydro-2H-pyran-4-ol	≤2.5%	
ELINCS: 405-040-6 <equation-block> Eye Irrit. 2, H319</equation-block>			
CAS: 5462-06-6 4-Methoxy-alpha-methylb	penzenepropanal	≥1–≤2.5%	
EINECS: 226-749-5 ᢊ Skin Sens. 1, H317			
CAS: 10339-55-6 3,7-Dimethyl-1,6-nonadier	n-3-ol	≥1–≤2.5%	
EINECS: 233-732-6 (!) Skin Irrit. 2, H315; Eye	Irrit. 2, H319; Skin Sens. 1B, H317		
CAS: 23787-90-8 Isolongifolene ketone		≥1-<2.5%	
EINECS: 245-890-3 🚯 Aquatic Chronic 2, H41	.1; 🕠 Skin Irrit. 2, H315; Skin Sens. 1B, H317		
	5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	≥0.25-<2.5%	
EINECS: 216-133-4 🕸 Aquatic Acute 1, H400;	; Aquatic Chronic 1, H410; <page-header> Acute Tox. 4, H302</page-header>		
CAS: 115-95-7 linalyl acetate		≥0.1-<1%	
EINECS: 204-116-4 <b>!</b> Skin Irrit. 2, H315; Eye	Irrit. 2, H319; Skin Sens. 1, H317		
CAS: 78-70-6 Linalool		≥0.1-<1%	
EINECS: 201-134-4 ᢊ Skin Sens. 1B, H317			
CAS: 8008-57-9 Orange oil	A	≥0.25-<1%	
EINECS: 232-433-8 🅎 Flam. Liq. 3, H226; 🕸 H315; Skin Sens. 1, H317	Asp. Tox. 1, H304; 🕸 Aquatic Chronic 2, H411; 🗘 Skin Irrit. 2,		



## according to 1907/2006/EC, Article 31

Version number 1

CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde	≥0.1-<1%
EINECS: 203-161-7 🕦 Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 8008-56-8 Lemon oil	≥0.25-<1%
EINECS: 284-515-8  Flam. Liq. 3, H226;  Asp. Tox. 1, H304;  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 8030-55-5 Gurjun oil	≥0.25-<1%
EINECS: 232-444-8 🗞 Asp. Tox. 1, H304; 🤄 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🔱 Skin Sens. 11 H317	В,
CAS: 65405-77-8 cis-3-Hexenyl salicylate	≥0.25-<2.5%
EINECS: 265-745-8 🌜 Aquatic Acute 1, H400	
CAS: 107898-54-4 (+/-)trans -3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)-pent-4-en-2-ol	≥0.025-<0.25%
ELINCS: 411-580-3 🌜 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🔱 Skin Irrit. 2, H315	
CAS: 6259-76-3 hexyl salicylate	≥0.1-<0.25%
EINECS: 228-408-6 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🔱 Skin Sens. 1, H317	
CAS: 32388-55-9 Acetyl cedrene	≥0.1-<0.25%
EINECS: 251-020-3 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🔱 Skin Sens. 1, H317	
CAS: 68039-49-6 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	≥0.1-<0.25%
EINECS: 268-264-1 🚯 Aquatic Chronic 2, H411; 🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317	
Regulation (EC) No 648/2004 on detergents / Labelling for contents	

perfumes (alpha-Hexylcinnamaldehyde, COUMARIN, LINALOOL, GERANIOL, AMYL CINNAMAL, (R)-p-mentha-1,8-diene, BENZYL BENZOATE, CITRONELLOL, BENZYL SALICYLATE)

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

### **General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

## After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water.

#### After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.



according to 1907/2006/EC, Article 31

Version number 1

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Store away from foodstuffs.

Further information about storage conditions: Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace:

CAS: 84-66-2 diethyl phthalate

WEL Short-term value: 10 mg/m<sup>3</sup> Long-term value: 5 mg/m<sup>3</sup>

Additional information: The lists valid during the making were used as basis.



according to 1907/2006/EC, Article 31

Version number 1

#### 8.2 Exposure controls

## Personal protective equipment:

## General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### **Protection of hands:**



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

#### **General Information**

Appearance:

Form: Oily

Colour: Dark yellow to brownish

Odour: Characteristic
Odour threshold: Not determined.

**pH-value:** Mixture is non-soluble (in water).

**Change in condition** 

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 296.1 °C (CAS: 84-66-2 diethyl phthalate)

Flash point: > 70 °C

Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

**Explosion limits:** 

**Lower:** Not determined.



according to 1907/2006/EC, Article 31

Version number 1

**Upper:** Not determined.

Vapour pressure at 20 °C: 0 hPa

Density:Not determined.Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.

Solubility in / Miscibility with

water: Insoluble. alcohols: Partly miscible.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

**Dynamic:** Not determined. Kinematic: Not determined.

Solvent content:

Organic solvents: 0.1 % VOC (EC) 0.06 %

**Solids content:** >4.7–<5.1 %

**Other information** No further relevant information available.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

**ATE (Acute Toxicity Estimates)** 

Oral LD50 14,650 mg/kg

CAS: 84-66-2 diethyl phthalate

Oral LD50 8,600 mg/kg

CAS: 121-33-5 vanillin

Oral LD50 1,580 mg/kg

CAS: 91-64-5 Coumarin

Oral LD50 293 mg/kg

CAS: 78-70-6 Linalool

Oral LD50 2,790 mg/kg



according to 1907/2006/EC, Article 31

Version number 1

#### Dermal LD50 5,610 mg/kg

## **Primary irritant effect:**

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:
Remark: Toxic for fish

Additional ecological information:

#### **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

## 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

**12.6 Other adverse effects** No further relevant information available.

### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### **Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

14.1 UN-Number ADR, IMDG, IATA

UN3082



according to 1907/2006/EC, Article 31

Version number 1

14.2 UN proper shipping name

ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Lemon oil, terpenes, Patchouli oil)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Lemon oil, terpenes, Patchouli oil), MARINE POLLUTANT

IATA Environmentally hazardous substance, liquid, n.o.s. (Lemon oil,

terpenes, Patchouli oil)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles.

Label 9

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards:

Marine pollutant:Symbol (fish and tree)Special marking (ADR):Symbol (fish and tree)Special marking (IATA):Symbol (fish and tree)

**14.6 Special precautions for user**Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):90EMS Number:F-A,S-FStowage CategoryA

14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code Not applicable.

**Transport/Additional information:** 

ADR

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category 3
Tunnel restriction code (-)

**IMDG** 

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (LEMON OIL, TERPENES, PATCHOULI OIL), 9, III

## **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.



according to 1907/2006/EC, Article 31

Version number 1

#### Hazard pictograms





GHS07

GHS09

### Signal word Warning

## Hazard-determining components of labelling:

alpha-Hexylcinnamaldehyde

Coumarin

Lemon oil, terpenes

4-Methoxy-alpha-methylbenzenepropanal

3,7-Dimethyl-1,6-nonadien-3-ol

Isolongifolene ketone

linalyl acetate

......

Linalool

Orange oil

2-Methyl-3-(p-isopropylphenyl)propionaldehyde

Lemon oil

Gurjun oil

hexyl salicylate

Acetyl cedrene

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde

#### **Hazard statements**

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H226 Flammable liquid and vapour.



according to 1907/2006/EC, Article 31

Version number 1

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

# **Department issuing SDS**: Technical Department **Contact**:

Technical Department msds@escentscia.uk

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

 $\hbox{GHS: Globally Harmonised System of Classification and Labelling of Chemicals}$ 

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3