

according to 1907/2006/EC, Article 31

Version number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product identification: Concentrated mixture of aromatic raw materials (fragrance)

Name: HINOKI CYPRESS - PRIME RANGE

# 1.2 Relevant identified uses of the mixture

Manufacturing use only. Not for personal use in this form or concentration

# 1.3 Details of the supplier of the safety data sheet

Company: Escentscia Limited

Address: 6 Pioneer Park, Clough Road, Hull. HU6 7HW UK.

e-mail: msds@escentscia.uk website: www.escentscia.uk Telephone: +44 (0)1482 332766

### 1.4 Emergency telephone number

Emergency telephone number: +44 (0)1482 332766 Opening hours: 09:00-16:00, Monday - Friday

Further information obtainable from: Technical Department

**1.4 Emergency telephone number:** National Poisons Information Service

+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



according to 1907/2006/EC, Article 31

Version number 1



H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

# 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms** 





GHS05

GHS07

# Signal word Danger

# Hazard-determining components of labelling:

3-Phenyl-1-propanol Coumarin linalyl acetate geraniol dl-Citronellol Orange oil Lemon oil, terpenes Cinnamyl alcohol Nerol

isoeugenol

Styrax Coeur

labdanum absolute

#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.



# according to 1907/2006/EC, Article 31

Version number 1

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

### **Dangerous components:**

| z angere ac acmpenione.   |  |           |
|---|--|-----------|
| CAS: 84-66-2 diethyl phthalate<br>EINECS: 201-550-6 substance with a Community v          | workplace exposure limit               | >25–≤50%  |
| CAS: 8050-15-5 Methyl ester of rosin (partially EINECS: 232-476-2 Aquatic Chronic 3, H412 |  | >10-<25%  |
| CAS: 91-64-5 Coumarin   | AD 11247 Assertis Characia 2, 11442    | >2.5–≤10% |
| EINECS: 202-086-7 (1) Acute Tox. 4, H302; Skin Se CAS: 140-11-4 benzyl acetate            | ens. 18, H317; Aquatic Chronic 3, H412 | >2.5–≤10% |
| EINECS: 205-399-7 Aquatic Chronic 3, H412 CAS: 60-12-8 Phenethyl alcohol                  |  | >2.5-<10% |
| EINECS: 200-456-2   | it. 2, H319                            | >2.5-<10% |
| EINECS: 204-116-4 (1) Skin Irrit. 2, H315; Eye Irrit. CAS: 100-51-6 Benzyl alcohol        | . 2, H319; Skin Sens. 1, H317          | >2.5–≤10% |
| EINECS: 202-859-9 (1) Acute Tox. 4, H302; Acute   | Tox. 4, H312; Acute Tox. 4, H332       | ≥5-≤10%   |
| EINECS: 204-587-6 🥎 Skin Corr. 1B, H314; Eye Da   | am. 1, H318                            |           |
| CAS: 121-33-5 vanillin EINECS: 204-465-2 (!) Eye Irrit. 2, H319                           |  | >2.5-<10% |



# according to 1907/2006/EC, Article 31

Version number 1

| CAS: 106-22-9 dl-Citronellol   | >2.5-<10%       |  |  |
|--|-----------------|--|--|
| EINECS: 203-375-0 🕦 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317  |                 |  |  |
| CAS: 8008-57-9 Orange oil  | ≥1-<2.5%        |  |  |
| EINECS: 232-433-8 🏇 Flam. Liq. 3, H226; 🗞 Asp. Tox. 1, H304; 🔖 Aquatic Chronic 2, H411; 🕩 Skin Irrit. 2, H31! Skin Sens. 1, H317 | 5;              |  |  |
| CAS: 68917-33-9 Lemon oil, terpenes  | ≥1-<2.5%        |  |  |
| EINECS: 284-515-8 🏇 Flam. Liq. 3, H226; 🗞 Asp. Tox. 1, H304; 🕸 Aquatic Chronic 2, H411; 🕩 Skin Irrit. 2, H31! Skin Sens. 1, H317 | 5;              |  |  |
| CAS: 120-51-4 Benzyl benzoate  | ≥0.25-<2.5%     |  |  |
| EINECS: 204-402-9 🕸 Aquatic Chronic 2, H411; 🕩 Acute Tox. 4, H302  |                 |  |  |
| CAS: 106-24-1 geraniol   | ≥1–≤2.5%        |  |  |
| EINECS: 203-377-1 📀 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315; Skin Sens. 1, H317  |                 |  |  |
| CAS: 104-54-1 Cinnamyl alcohol   | ≥1-<2.5%        |  |  |
| EINECS: 203-212-3 🚯 Aquatic Chronic 2, H411; 🕩 Acute Tox. 4, H302; Skin Sens. 1, H317  |                 |  |  |
| CAS: 106-25-2 Nerol  | ≥1-≤2.5%        |  |  |
| EINECS: 203-378-7 🕩 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317  |                 |  |  |
| CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran  | ≥0.25-<2.5%     |  |  |
| EINECS: 214-946-9 Ҍ Aquatic Acute 1, H400; Aquatic Chronic 1, H410   |                 |  |  |
| CAS: 1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)                                     | ≥0.25-<2.5%     |  |  |
| EINECS: 216-133-4 🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🕩 Acute Tox. 4, H302   |                 |  |  |
| CAS: 8046-19-3 Styrax Coeur  | ≥0.1-<1%        |  |  |
| EINECS: 232-458-4 🕩 Skin Sens. 1, H317   |                 |  |  |
| CAS: 8016-26-0 labdanum absolute   | ≥0.1-<1%        |  |  |
| EINECS: 290-793-1 🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412   |                 |  |  |
| Regulation (EC) No 648/2004 on detergents / Labelling for contents   |                 |  |  |
| portumos (comparine happy) alcohal citropallal DENZVI DENZOATE garanial CINNANVI ALCOHAL lingual hap                             | and caliculate) |  |  |

perfumes (coumarine, benzyl alcohol, citronellol, BENZYL BENZOATE, geraniol, CINNAMYL ALCOHOL, linalool, benzyl salicylate) Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

# After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

## After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

### After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water.



according to 1907/2006/EC, Article 31

Version number 1

### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

# Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

#### 5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

# 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.



according to 1907/2006/EC, Article 31

Version number 1

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace:

CAS: 84-66-2 diethyl phthalate

WEL Short-term value: 10 mg/m<sup>3</sup> Long-term value: 5 mg/m<sup>3</sup>

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

# **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### **Protection of hands:**



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material


The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



according to 1907/2006/EC, Article 31

Version number 1

# Eye protection:



# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Oily

Colour: Pale yellow to yellow

Odour: Characteristic
Odour threshold: Not determined.

pH-value: Mixture is non-soluble (in water).

Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 205.4 °C (CAS: 100-51-6 Benzyl alcohol)

Flash point: > 70 °C

Flammability (solid, gas): Not applicable.

**Ignition temperature:** 430 °C (CAS: 122-97-4 3-Phenyl-1-propanol)

**Decomposition temperature:** Not determined.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

**Explosion limits:** 

Lower: Not determined. Upper: Not determined.

Vapour pressure at 20 °C: 0 hPa

Density at 20 °C:1.028–1.068 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.

Solubility in / Miscibility with

water: Insoluble.
alcohols: Partly miscible.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

**Dynamic:** Not determined.



according to 1907/2006/EC, Article 31

Version number 1

Kinematic: Not determined.

Solvent content:

Organic solvents: 5.0 % VOC (EC) 5.03 % Solids content: 16.6 %

**9.2 Other information** No further relevant information available.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

# **ATE (Acute Toxicity Estimates)**

Oral LD50 2,254 mg/kg
Dermal LD50 39,990 mg/kg
Inhalative LC50/4 h 220 mg/l

CAS: 84-66-2 diethyl phthalate

Oral LD50 8,600 mg/kg

CAS: 91-64-5 Coumarin

Oral LD50 293 mg/kg CAS: 140-11-4 benzyl acetate Oral LD50 2,490 mg/kg Dermal LD50 >5,000 mg/kg CAS: 60-12-8 Phenethyl alcohol Oral LD50 1,790 mg/kg Dermal LD50 790 mg/kg CAS: 100-51-6 Benzyl alcohol Oral LD50 1,230 mg/kg

2,000 mg/kg

LD50

Dermal



according to 1907/2006/EC, Article 31

Version number 1

CAS: 122-97-4 3-Phenyl-1-propanol

Oral LD50 2,300 mg/kg Dermal LD50 5,000 mg/kg

CAS: 121-33-5 vanillin

Oral LD50 1,580 mg/kg **CAS: 106-22-9 dl-Citronellol**Oral LD50 3,450 mg/kg

Dermal LD50 2,650 mg/kg

 CAS: 120-51-4 Benzyl benzoate

 Oral
 LD50
 1,700 mg/kg

 Dermal
 LD50
 4,000 mg/kg

 CAS: 104-54-1 Cinnamyl alcohol

 Oral
 LD50
 2,000 mg/kg

 Dermal
 LD50
 >5,000 mg/kg

Primary irritant effect: Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects: Remark: Harmful to fish

Additional ecological information:

**General notes:** 

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.



according to 1907/2006/EC, Article 31

Version number 1

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packaging:**

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

14.1 UN-Number

ADR, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

**Class** not regulated

14.4 Packing group

ADR, IMDG, IATA not regulated
14.5 Environmental hazards: Not applicable.
14.6 Special precautions for user Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the

IBC Code Not applicable. UN "Model Regulation": not regulated

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





CUCUE CUCU

Signal word Danger



according to 1907/2006/EC, Article 31

Version number 1

#### Hazard-determining components of labelling:

3-Phenyl-1-propanol

Coumarin

linalyl acetate

geraniol

dl-Citronellol

Orange oil

Lemon oil, terpenes

Cinnamyl alcohol

Nerol

isoeugenol

Styrax Coeur

labdanum absolute

#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.



according to 1907/2006/EC, Article 31

Version number 1

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### **Department issuing SDS: Technical Department**

#### Contact:

Technical Department msds@escentscia.uk

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

 $\hbox{GHS: Globally Harmonised System of Classification and Labelling of Chemicals}$ 

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

 $\label{eq:continuous} \textbf{Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category \, \textbf{1}}$ 

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3