

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product identification: Concentrated mixture of aromatic raw materials (fragrance)
Name: CONFETTI - STYLE RANGE

1.2 Relevant identified uses of the mixture

Manufacturing use only. Not for personal use in this form or concentration

1.3 Details of the supplier of the safety data sheet

Company: Escentscia Limited
Address: 6 Pioneer Park, Clough Road, Hull. HU6 7HW UK.

e-mail: msds@escentscia.uk
website: www.escentscia.uk
Telephone: +44 (0)1482 332766

1.4 Emergency telephone number

Emergency telephone number: +44 (0)1482 332766
Opening hours: 09:00-16:00, Monday - Friday

Further information obtainable from: Technical Department

1.4 Emergency telephone number:

National Poisons Information Service
+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1



Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07



GHS09

Signal word Warning

Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Linalool

linalyl acetate

Cedrol methyl ether

Formaldehyde cyclododecyl ethyl acetal (boisambrene forte)

1-(2,2,6-Trimethylcyclohexyl)-3-hexanol (timberol)

Coumarin

Balsam, Peru

6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)

alpha-methyl-1,3-benzodioxole-5-propionaldehyde (helional)

Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Dangerous components:

| | | |
|--------------------------------------|--|-------------|
| CAS: 54464-57-2 EINECS: 259-174-3 | 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super) | >2.5—<10% |
| |  Aquatic Chronic 1, H410;  Skin Irrit. 2, H315; Skin Sens. 1, H317 | |
| CAS: 68608-32-2 EINECS: 294-461-7 | Cedarwood oil terpenes | >2.5—≤10% |
| |  Asp. Tox. 1, H304;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | |
| CAS: 28219-61-6 EINECS: 248-908-8 | 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (bagdanol) | ≥0.25—<2.5% |
| |  Aquatic Chronic 1, H410;  Eye Irrit. 2, H319 | |
| CAS: 3407-42-9 EINECS: 222-294-1 | Iso bornyl cyclohexanol | ≥0.25—<2.5% |
| |  Aquatic Chronic 2, H411;  Eye Irrit. 2, H319 | |
| CAS: 78-70-6 EINECS: 201-134-4 | Linalool | ≥1—≤2.5% |
| |  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317 | |
| Index number: 603-235-00-2 | | |
| CAS: 115-95-7 EINECS: 204-116-4 | linalyl acetate | ≥1—≤2.5% |
| |  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| CAS: 19870-74-7 EINECS: 243-384-7 | Cedrol methyl ether | ≥1—<2.5% |
| |  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Sens. 1B, H317 | |
| CAS: 58567-11-6 EINECS: 261-332-1 | Formaldehyde cyclododecyl ethyl acetal (boisambrene forte) | ≥1—<2.5% |
| |  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Skin Sens. 1, H317 | |
| CAS: 70788-30-6 EINECS: 274-892-7 | 1-(2,2,6-Trimethylcyclohexyl)-3-hexanol (timberol) | ≥1—<2.5% |
| |  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Sens. 1B, H317 | |
| CAS: 91-64-5 EINECS: 202-086-7 | Coumarin | ≥0.1—<1% |
| |  Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 | |
| CAS: 8007-00-9 EINECS: 232-352-8 | Balsam, Peru | ≥0.25—<1% |
| |  STOT RE 2, H373;  Eye Dam. 1, H318;  Aquatic Acute 1, H400; Aquatic Chronic 2, H411;  Skin Sens. 1, H317 | |
| CAS: 33704-61-9 EINECS: 251-649-3 | 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran) | ≥0.25—<1% |
| |  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| CAS: 1205-17-0 EINECS: 214-881-6 | alpha-methyl-1,3-benzodioxole-5-propionaldehyde (helional) | ≥0.1—<0.25% |
| |  Repr. 2, H361;  Aquatic Chronic 2, H411;  Skin Sens. 1, H317 | |
| CAS: 84775-75-7 EINECS: 283-905-5 | Artemisia herba-alba oil | ≥0.1—<0.25% |
| |  Flam. Liq. 3, H226;  STOT SE 2, H371;  Eye Dam. 1, H318;  Aquatic Chronic 2, H411;  Acute Tox. 4, H302; Skin Sens. 1, H317 | |
| CAS: 8016-26-0 EINECS: 290-793-1 | labdanum absolute | ≥0.1—<1% |
| |  Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 | |
| CAS: 8030-55-5 EINECS: 232-444-8 | Gurjun oil | ≥0.1—<0.25% |
| |  Asp. Tox. 1, H304;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Sens. 1B, H317 | |
| CAS: 80-56-8 EINECS: 201-291-9 | alpha-Pinene | ≥0.1—<0.25% |
| |  Flam. Liq. 3, H226;  Asp. Tox. 1, H304;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 | |

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

| | | |
|----------------------|--|-------------|
| CAS: 97-53-0 | Eugenol | ≥0.1–<1% |
| EINECS: 202-589-1 | ⚠ Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| CAS: 2986-54-1 | Methoxycyclododecane (palisandin) | ≥0.1–<0.25% |
| EINECS: 221-053-8 | ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317 | |
| CAS: 8023-89-0 | Resin G | ≥0.1–<0.25% |
| EC number: 307-636-0 | ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317 | |
| CAS: 23787-90-8 | Isolongifolene ketone (Piconia) | ≥0.1–<0.25% |
| EINECS: 245-890-3 | ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317 | |

Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes (linalool, coumarine, eugenol)

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

| | |
|--|--|
| Physical state | Fluid |
| Colour: | Orange to brownish |
| Odour: | Oriental |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling range | 292 °C (CAS: 6938-94-9 DI ISO PROPYL ADIPATE) |
| Flammability | Not applicable. |
| Lower and upper explosion limit | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | 70–100 °C (CAS: 68608-32-2 Cedarwood oil terpenes) |
| Decomposition temperature: | Not determined. |
| pH | Mixture is non-soluble (in water). |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| Dynamic: | Not determined. |
| Solubility | |
| water: | Insoluble (10%) |
| alcohols: | Partly miscible. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not determined. |
| Density and/or relative density | |
| Density: | Not determined. |
| Relative density | Not determined. |
| Vapour density | Not determined. |

9.2 Other information

Appearance:

Form: Oily

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Important information on protection of health and environment, and on safety.

Auto-ignition temperature:

Product is not selfigniting.

Explosive properties:

Product does not present an explosion hazard.

Solvent content:

VOC (EC)

0.00 %

VOCV (CH)

0.00 %

Solids content:

1.1 %

Refractive index

1.442-1.452

Change in condition

Evaporation rate

Not determined.

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

LD/LC50 values relevant for classification:

CAS: 78-70-6 Linalool

Oral LD50 2790 mg/kg

Dermal LD50 5610 mg/kg

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

CAS: 58567-11-6 Formaldehyde cyclododecyl ethyl acetal (boisambrene forte)

Oral LD50 >5000 mg/kg

Dermal LD50 >5000 mg/kg

CAS: 91-64-5 Coumarin

Oral LD50 293 mg/kg

CAS: 8007-00-9 Balsam, Peru

Oral LD50 >5000 mg/kg

Dermal LD50 >10000 mg/kg

CAS: 97-53-0 Eugenol

Oral LD50 1930 mg/kg

CAS: 8023-89-0 Resin G

Oral LD50 5600 mg/kg

Dermal LD50 >5000 mg/kg

Respiratory or skin sensitisation May cause an allergic skin reaction.

11.2 Information on other hazards

Endocrine disrupting properties

CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super): List II

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name

ADR

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cedarwood oil terpenes, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super))

IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood oil terpenes, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)), MARINE POLLUTANT

IATA

Environmentally hazardous substance, liquid, n.o.s. (Cedarwood oil terpenes, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super))

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

9 Miscellaneous dangerous substances and articles.

Label

9

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Marine pollutant:

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

Stowage Category

A

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

(-)

IMDG

Limited quantities (LQ)

5L

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(CEDARWOOD OIL TERPENES, 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE (ISO-E SUPER)), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07

GHS09

Signal word Warning

Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Linalool

linalyl acetate

Cedrol methyl ether

Formaldehyde cyclododecyl ethyl acetal (boisambrene forte)

1-(2,2,6-Trimethylcyclohexyl)-3-hexanol (timberol)

Coumarin

Balsam, Peru

6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)

alpha-methyl-1,3-benzodioxole-5-propionaldehyde (helional)

Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H371 May cause damage to organs.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Technical Department

Contact:

Technical Department
msds@escentscia.uk

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT SE 2: Specific target organ toxicity (single exposure) – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3