

according to 1907/2006/EC, Article 31

Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product identification: Concentrated mixture of aromatic raw materials (fragrance)

Name: DEEP SEA MINERALS - STYLE RANGE

1.2 Relevant identified uses of the mixture

Manufacturing use only. Not for personal use in this form or concentration

1.3 Details of the supplier of the safety data sheet

Company: Escentscia Limited

Address: 6 Pioneer Park, Clough Road, Hull. HU6 7HW UK.

e-mail: msds@escentscia.uk website: www.escentscia.uk Telephone: +44 (0)1482 332766

1.4 Emergency telephone number

Emergency telephone number: +44 (0)1482 332766 Opening hours: 09:00-16:00, Monday - Friday

Further information obtainable from: Technical Department

1.4 Emergency telephone number: National Poisons Information Service

+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



according to 1907/2006/EC, Article 31

Version number 1



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms**





GHS07

GHS09

Signal word Warning

Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

alpha-Hexylcinnamaldehyde

4-tert-butylcyclohexyl acetate

(R)-p-mentha-1,8-diene

Coumarin

Methyl nonyl acetaldehyde (MNA)

tetrahydrolinalool

Allyl cyclohexanepropionate

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde)

dodecanal

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.



according to 1907/2006/EC, Article 31

Version number 1

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

Dangerous components:					
CAS: 88-41-5 2-tert butyl EINECS: 201-828-7 ♦ Aquatic	cyclohexyl acetate (verdox) Chronic 2, H411	>2.5–≤10%			
CAS: 54464-57-2 1-(1,2,3,4,5	6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super) Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	>2.5-<10%			
CAS: 101-86-0 alpha-Hexy	cinnamaldehyde Acute 1, H400; Aquatic Chronic 2, H411; 🕩 Skin Sens. 1B, H317	>2.5–≤10%			
CAS: 1222-05-5 1,3,4,6,7,8-	nexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran Acute 1, H400; Aquatic Chronic 1, H410	>2.5–≤10%			
	cyclohexyl acetate	>2.5–≤10%			
CAS: 2050-08-0 Amyl salicyl EINECS: 218-080-2 Aquatic	ate Acute 1, H400; Aquatic Chronic 1, H410; 🗘 Acute Tox. 4, H302	>2.5–≤10%			
EINECS: 227-813-5 🏵 Flam. Lie	na-1,8-diene q. 3, H226; � Asp. Tox. 1, H304; � Aquatic Acute 1, H400; � Skin Irrit. 2, H315; B, H317; Aquatic Chronic 3, H412	>2.5-<10%			
CAS: 17511-60-3 Tricyclodeco	enyl propionate (verdyl propionate) Chronic 2, H411	≤2.5%			
CAS: 1335-46-2 Methyl iono	one (mixture of isomers) Chronic 2, H411; 🕩 Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥0.25-<2.5%			
CAS: 93-04-9 beta-Napht	hyl methyl ether Chronic 2, H411; (1) Eye Irrit. 2, H319	≥0.25-<2.5%			
CAS: 101-84-8 diphenyl et		≥0.25-<2.5%			
•	enyl acetate (verdyl acetate)	<2.5%			
ELINCS: 422-320-3 oxacyclohex	f: (E)-oxacyclohexadec-12-en-2-one (E)-oxacyclohexadec-13-en-2-one a) (Z)- cadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<2.5%			
•	imethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate	≥0.25-<2.5%			
CAS: 150-84-5 Citronellyl a		≥0.25-<2.5%			
CAS: 91-64-5 Coumarin	ox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥1-<2.5%			
CAS: 110-41-8 Methyl non	yl acetaldehyde (MNA) Acute 1, H400; Aquatic Chronic 1, H410; 🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-<2.5%			
CAS: 123-11-5 anisaldehyc EINECS: 204-602-6 Aquatic Chr	le ·	<2.5%			



according to 1907/2006/EC, Article 31

Version number 1

CAS: 8014-09-3 Patchouli oil	≥0.25-<2.5%			
EINECS: 282-493-4 🚯 Asp. Tox. 1, H304; 🕸 Aquatic Chronic 2, H411				
CAS: 18479-58-8 Dihydromyrcenol	≤2.5%			
EINECS: 242-362-4 🕩 Skin Irrit. 2, H315; Eye Irrit. 2, H319				
CAS: 107898-54-4 (+/-)trans -3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)-pent-4-en-2-ol	≥0.25-<2.5%			
ELINCS: 411-580-3 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🕦 Skin Irrit. 2, H315				
CAS: 78-69-3 tetrahydrolinalool	≥0.1-<1%			
EINECS: 201-133-9 () Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	>0.25 +2.50/			
CAS: 112-12-9 2-Undecanone EINECS: 203-937-5 (A greatic A great 1 1400) A greatic Changing 1 14410. (A Skin larit 2 14315)	≥0.25-<2.5%			
EINECS: 203-937-5 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315 CAS: 2705-87-5 Allyl cyclohexanepropionate	>0.2F <10/			
CAS: 2705-87-5 Allyl cyclohexanepropionate EINECS: 220-292-5 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4,	≥0.25-<1%			
H312; Acute Tox. 4, H332; Skin Sens. 1, H317				
CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde)	≥0.1-<1%			
EINECS: 203-161-7 (1) Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412				
CAS: 112-54-9 dodecanal	≥0.1-<1%			
EINECS: 203-983-6 🕩 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317				
CAS: 81782-77-6 4-Methyl-3-decen-5-ol (undecavertol)	<0.25%			
EINECS: 279-815-0 🚱 Aquatic Acute 1, H400; Aquatic Chronic 2, H411				
CAS: 16409-43-1 Tetrahydro-4-methyl-2-(2-methylpropen-1-yl)pyran (rose oxide)	≤2.5%			
EINECS: 240-457-5 🚯 Repr. 2, H361; 🕦 Skin Irrit. 2, H315; Eye Irrit. 2, H319				
CAS: 8000-28-0 Lavender absolute	≥0.1-<1%			
EINECS: 289-995-2 🗞 Asp. Tox. 1, H304; 🕩 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412				
CAS: 67634-15-5 alpha,alpha-Dimethyl-p-ethylphenylpropanal (floralozone)	≥0.1-<0.25%			
EINECS: 266-819-2 🕸 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; 🕦 Skin Irrit. 2, H315; Skin Sens. 1B, H31	7			
CAS: 106-24-1 geraniol	≥0.1-<1%			
EINECS: 203-377-1 📀 Eye Dam. 1, H318; <image/> Skin Irrit. 2, H315; Skin Sens. 1, H317				
CAS: 104-93-8 p-Methylanisole	≤2.5%			
EINECS: 203-253-7 🗞 Repr. 2, H361; 🕦 Acute Tox. 4, H302; Skin Irrit. 2, H315				
CAS: 4180-23-8 trans-Anethole	≥0.1-<1%			
EINECS: 224-052-0 🕩 Skin Sens. 1, H317; Aquatic Chronic 3, H412				
CAS: 68039-49-6 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (Hivertal)	≥0.1-<0.25%			
EINECS: 268-264-1 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317				
Regulation (EC) No 648/2004 on detergents / Labelling for contents				
perfumes (alpha-Hexylcinnamaldehyde, (R)-p-mentha-1,8-diene, coumarine, geraniol, linalool, citronellol) Additional information: For the wording of the listed hazard phrases refer to section 16.				
Additional information. For the wording of the listed hazard philases refer to section to.				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.



according to 1907/2006/EC, Article 31

Version number 1

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.



according to 1907/2006/EC, Article 31

Version number 1

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 101-84-8 diphenyl ether

WEL Short-term value: 14 mg/m³, 2 ppm Long-term value: 7 mg/m³, 1 ppm

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid



according to 1907/2006/EC, Article 31

Version number 1

Not applicable.

Colour: Pale yellow to yellow

Odour: Fresh

Odour threshold: Not determined.

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling range 292 °C (CAS: 6938-94-9 DI ISO PROPYL ADIPATE)

Flammability

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined.

Flash point: 70–100 °C (CAS: 6938-94-9 DI ISO PROPYL ADIPATE)

Decomposition temperature: Not determined.

pH Mixture is non-soluble (in water).

Viscosity:

Kinematic viscosity

Dynamic:

Not determined.

Not determined.

Solubility

water:Insoluble (10%)alcohols:Partly miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.

Density and/or relative density

Density:Not determined.Relative densityNot determined.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Oily

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

 Organic solvents:
 2.7 %

 VOC (EC)
 2.70 %

 VOCV (CH)
 2.50 %

 Solids content:
 4.7 %

 Refractive index
 1.44-1.48

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Void **Explosives** Void Flammable gases **Aerosols** Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void



according to 1907/2006/EC, Article 31

Version number 1

Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	ble gases in
contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 12,453 mg/kg

CAS: 32210-23-4 4-tert-butylcyclohexyl acetate

Oral LD50 5,000 mg/kg

CAS: 5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4,400 mg/kg

CAS: 101-84-8 diphenyl ether

Oral LD50 3,370 mg/kg

CAS: 91-64-5 Coumarin

Oral LD50 293 mg/kg

CAS: 123-11-5 anisaldehyde

Oral LD50 1,510 mg/kg

Dermal LD50 1,510 Hig/kg

Dermal LD50 >5,000 mg/kg

CAS: 112-12-9 2-Undecanone

Oral LD50 5,000 mg/kg

CAS: 112-54-9 dodecanal

Oral LD50 23,000 mg/kg

CAS: 104-93-8 p-Methylanisole

Oral LD50 1,920 mg/kg

Skin corrosion/irritation Causes skin irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.



according to 1907/2006/EC, Article 31

Version number 1

11.2 Information on other hazards Endocrine disrupting properties

CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super): List II

CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: List II

CAS: 118-58-1 benzyl salicylate: List II

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Tavia fan anuatia anna piame

Toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN3082

14.2 UN proper shipping name

ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(DIPENTENE, 2-tert butyl cyclohexyl acetate (verdox))

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE,

2-tert butyl cyclohexyl acetate (verdox)), MARINE POLLUTANT

IATA Environmentally hazardous substance, liquid, n.o.s. (DIPENTENE, 2-tert butyl

cyclohexyl acetate (verdox))



according to 1907/2006/EC, Article 31

Version number 1

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles.

Label

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards:

Marine pollutant:Symbol (fish and tree)Special marking (ADR):Symbol (fish and tree)Special marking (IATA):Symbol (fish and tree)

14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code): 90
EMS Number: F-A,S-F
Stowage Category A

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category 3
Tunnel restriction code (-)

IMDG

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(DIPENTENE, 2-TERT BUTYL CYCLOHEXYL ACETATE (VERDOX)), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS07

GHS09



according to 1907/2006/EC, Article 31

Version number 1

Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

alpha-Hexylcinnamaldehyde

4-tert-butylcyclohexyl acetate

(R)-p-mentha-1,8-diene

Coumarin

Methyl nonyl acetaldehyde (MNA)

tetrahydrolinalool

Allyl cyclohexanepropionate

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde)

dodecanal

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101	If mo	edical advice is needed, have product container or label at hand
PIOI	IT ME	dical advice is needed thave product container or label at hand

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.



according to 1907/2006/EC, Article 31

Version number 1

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Technical department

Contact:

Technical department msds@escentscia.uk

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skill littl. 2. Skill corrosion/littlation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3