

according to 1907/2006/EC, Article 31

Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product identification: Concentrated mixture of aromatic raw materials (fragrance)

Name: TUSCAN OLIVE - STYLE RANGE

1.2 Relevant identified uses of the mixture

Manufacturing use only. Not for personal use in this form or concentration

1.3 Details of the supplier of the safety data sheet

Company: Escentscia Limited

Address: 6 Pioneer Park, Clough Road, Hull. HU6 7HW UK.

e-mail: msds@escentscia.uk website: www.escentscia.uk Telephone: +44 (0)1482 332766

1.4 Emergency telephone number

Emergency telephone number: +44 (0)1482 332766 Opening hours: 09:00-16:00, Monday - Friday

Further information obtainable from: Technical Department

1.4 Emergency telephone number:National Poisons Information Service

+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



according to 1907/2006/EC, Article 31

Version number 1



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms**





GHS07

GHS09

Signal word Warning

Hazard-determining components of labelling:

alpha-Hexylcinnamaldehyde

alpha-Amylcinnamaldehyde

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Linalool

4-tert-butylcyclohexyl acetate

linalyl acetate

Texas cedarwood oil

geranyl acetate

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde)

Neryl acetate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.



according to 1907/2006/EC, Article 31

Version number 1

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 122-40-7 alpha-Amylcinnamaldehyde EINECS: 204-541-5 ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♠ Skin Sens. 1, H317 CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super) ≤10% EINECS: 259-174-3 ♦ Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317 CAS: 78-70-6 Linalool ×2.5-<10% EINECS: 201-134-4 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 18, H317 CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ×2.5-≤10% EINECS: 214-946-9 ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 CAS: 32210-23-4 +tert-butylcyclohexyl acetate ×2.5-≤10% EINECS: 209-54-9 ♠ Aquatic Chronic 2, H411; ♠ Acute Tox. 4, H302 CAS: 18479-58-8 Dihydromyrcenol ×2.5-≤10% EINECS: 204-402-9 ♠ Aquatic Chronic 2, H411; ♠ Acute Tox. 4, H302 CAS: 115-95-7 Linalyl acetate ×2.5-<10% EINECS: 204-116-4 ♠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 CAS: 1335-46-2 Methyl ionone (mixture of isomers) ×2.5-<10% EINECS: 215-635-0 ♠ Aquatic Chronic 2, H411; ♠ Skin Irrit. 2, H315; Eye Irrit. 2, H	CAS: 101-86-0 alpha-Hexylcinnamaldehyde	>2.5–≤10%
EINECS: 204-541-5	EINECS: 202-983-3 🚯 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; 🔱 Skin Sens. 1B, H317	
CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl]ethanone (Iso-E super) EINECS: 259-174-3		>2.5–≤10%
EINECS: 259-174-3		
CAS: 78-70-6 Linalool >2.5.−<10% EINECS: 201-134-4 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317		≤10%
EINECS: 201-134-4	EINECS: 259-174-3 🔖 Aquatic Chronic 1, H410; 🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran >2.5-≤10% EINECS: 214-946-9		>2.5-<10%
EINECS: 214-946-9 ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 CAS: 32210-23-4		
CAS: 32210-23-4		>2.5–≤10%
EINECS: 250-954-9 ♠ Skin Sens. 1, H317 CAS: 120-51-4 Benzyl benzoate >2.5-≤10% EINECS: 204-402-9 ♠ Aquatic Chronic 2, H411; ♠ Acute Tox. 4, H302 CAS: 18479-58-8 Dihydromyrcenol >2.5-<10% EINECS: 242-362-4 ♠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 CAS: 115-95-7 linalyl acetate >2.5-<10% EINECS: 204-116-4 ♠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 CAS: 1335-46-2 Methyl ionone (mixture of isomers) >2.5-<10% EINECS: 215-635-0 ♠ Aquatic Chronic 2, H411; ♠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 CAS: 63500-71-0 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (florol) >2.5-<10% ELINCS: 405-040-6 ♠ Eye Irrit. 2, H319 CAS: 88-41-5 2-tert butyl cyclohexyl acetate (verdox) ≤2.5% EINECS: 201-828-7 ♠ Aquatic Chronic 2, H411 CAS: 68990-83-0 Texas cedarwood oil ≥1-<2.5% EINECS: 294-461-7 ♠ Asp. Tox. 1, H304; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1-<1% EINECS: 203-341-5 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1-<1% EINECS: 203-161-7 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%	EINECS: 214-946-9 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 120-51-4 Benzyl benzoate >2.5-≤10% EINECS: 204-402-9		>2.5–≤10%
EINECS: 204-402-9	EINECS: 250-954-9 🕩 Skin Sens. 1, H317	
CAS: 18479-58-8 Dihydromyrcenol >2.5—<10% EINECS: 242-362-4	CAS: 120-51-4 Benzyl benzoate	>2.5–≤10%
EINECS: 242-362-4 ① Skin Irrit. 2, H315; Eye Irrit. 2, H319 CAS: 115-95-7 linalyl acetate >2.5—<10% EINECS: 204-116-4 ② Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 CAS: 1335-46-2 Methyl ionone (mixture of isomers) >2.5—<10% EINECS: 215-635-0 ③ Aquatic Chronic 2, H411; ③ Skin Irrit. 2, H315; Eye Irrit. 2, H319 CAS: 63500-71-0 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (florol) >2.5—<10% ELINCS: 405-040-6 ② Eye Irrit. 2, H319 CAS: 88-41-5 2-tert butyl cyclohexyl acetate (verdox) ≤2.5% EINECS: 201-828-7 ③ Aquatic Chronic 2, H411 CAS: 68990-83-0 Texas cedarwood oil ≥1—<2.5% EINECS: 294-461-7 ③ Asp. Tox. 1, H304; ③ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ④ Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1—<1% EINECS: 203-341-5 ① Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1—<1% EINECS: 203-161-7 ② Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1—<1%		
CAS: 115-95-7	CAS: 18479-58-8 Dihydromyrcenol	>2.5-<10%
EINECS: 204-116-4 ① Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 CAS: 1335-46-2	EINECS: 242-362-4 🕠 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 1335-46-2 Methyl ionone (mixture of isomers) >2.5~<10% EINECS: 215-635-0 ♣ Aquatic Chronic 2, H411; ♠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 CAS: 63500-71-0 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (florol) >2.5~<10% ELINCS: 405-040-6 ♠ Eye Irrit. 2, H319 CAS: 88-41-5 2-tert butyl cyclohexyl acetate (verdox) ≤2.5% EINECS: 201-828-7 ♠ Aquatic Chronic 2, H411 CAS: 68990-83-0 Texas cedarwood oil ≥1~<2.5% EINECS: 294-461-7 ♠ Asp. Tox. 1, H304; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1~<1% EINECS: 203-341-5 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1~<1% EINECS: 203-161-7 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1~<1%	CAS: 115-95-7 linalyl acetate	>2.5-<10%
EINECS: 215-635-0 ♣ Aquatic Chronic 2, H411;	EINECS: 204-116-4 🕩 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 63500-71-0 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (florol) >2.5—<10% ELINCS: 405-040-6	CAS: 1335-46-2 Methyl ionone (mixture of isomers)	>2.5-<10%
ELINCS: 405-040-6	EINECS: 215-635-0 📀 Aquatic Chronic 2, H411; <image/> Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 88-41-5 2-tert butyl cyclohexyl acetate (verdox) ≤2.5% EINECS: 201-828-7 ♣ Aquatic Chronic 2, H411 CAS: 68990-83-0 Texas cedarwood oil ≥1-<2.5% EINECS: 294-461-7 ♣ Asp. Tox. 1, H304; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1-<1% EINECS: 203-341-5 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1-<1% EINECS: 203-161-7 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%	CAS: 63500-71-0 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (florol)	>2.5-<10%
EINECS: 201-828-7 ♣ Aquatic Chronic 2, H411 CAS: 68990-83-0 Texas cedarwood oil ≥1-<2.5% EINECS: 294-461-7 ♣ Asp. Tox. 1, H304; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1-<1% EINECS: 203-341-5 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1-<1% EINECS: 203-161-7 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%	ELINCS: 405-040-6 <equation-block> Eye Irrit. 2, H319</equation-block>	
CAS: 68990-83-0 Texas cedarwood oil ≥1-<2.5% EINECS: 294-461-7 ♣ Asp. Tox. 1, H304; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1-<1% EINECS: 203-341-5 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1-<1% EINECS: 203-161-7 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%	CAS: 88-41-5 2-tert butyl cyclohexyl acetate (verdox)	≤2.5%
EINECS: 294-461-7 ♣ Asp. Tox. 1, H304; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1-<1% EINECS: 203-341-5 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1-<1% EINECS: 203-161-7 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%	EINECS: 201-828-7 🧇 Aquatic Chronic 2, H411	
H315; Skin Sens. 1B, H317 CAS: 105-87-3 geranyl acetate ≥0.1—<1% EINECS: 203-341-5 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1—<1% EINECS: 203-161-7 ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1—<1%	C/ 13: 00330 03 0	≥1-<2.5%
CAS: 105-87-3 geranyl acetate ≥0.1—<1% EINECS: 203-341-5	EINECS: 294-461-7 <page-header> Asp. Tox. 1, H304; 🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🕩 Skin Irrit. 2,</page-header>	
EINECS: 203-341-5	H315; Skin Sens. 1B, H317	
CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1-<1% EINECS: 203-161-7 ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%	CAS: 105-87-3 geranyl acetate	≥0.1-<1%
CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde) ≥0.1-<1% EINECS: 203-161-7 ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%	EINECS: 203-341-5 (!) Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
EINECS: 203-161-7 ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 CAS: 141-12-8 Neryl acetate ≥0.1-<1%		≥0.1-<1%
CAS: 141-12-8 Neryl acetate ≥0.1-<1%	EINECS: 203-161-7 (!) Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
EINECS: 205-459-2 (!) Skin Sens. 1B, H317		≥0.1-<1%
	EINECS: 205-459-2	
CAS: 106-22-9 dl-Citronellol ≥0.1–<1%		≥0.1-<1%
EINECS: 203-375-0 🕦 Skin Irrit. 2, H315; Eye Irrit. 2, H319	EINECS: 203-375-0 () Skin Irrit. 2, H315; Eye Irrit. 2, H319	



according to 1907/2006/EC, Article 31

Version number 1

CAS: 81-14-1 musk ketone	≥0.25-<2.5%
EINECS: 201-328-9 🚯 Carc. 2, H351; 🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 8030-55-5 Gurjun oil	≥0.25-<1%
EINECS: 232-444-8 🗞 Asp. Tox. 1, H304; 🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🔱 S	Skin Sens. 1B,
H317	
CAS: 81782-77-6 4-Methyl-3-decen-5-ol (undecavertol)	≥0.25-<2.5%
EINECS: 279-815-0 🔖 Aquatic Acute 1, H400; Aquatic Chronic 2, H411	
CAS: 5392-40-5 Citral	≥0.1-<1%
EINECS: 226-394-6 🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317ngfmngf	
CAS: 68039-49-6 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (Hivertal)	≥0.1–<0.25%
EINECS: 268-264-1 🔖 Aquatic Chronic 2, H411; 🕦 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 141-13-9 2,6,10-Trimethyl-9-undecenal	≥0.1-<0.25%
EINECS: 205-460-8 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Nskin Sens. 1B, H317	
Regulation (EC) No 648/2004 on detergents / Labelling for contents	
perfumes (alpha-Hexylcinnamaldehyde, AMYL CINNAMAL, linalool, BENZYL BENZOATE, citronellol	, CITRAL)
Additional information: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.



according to 1907/2006/EC, Article 31

Version number 1

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.



according to 1907/2006/EC, Article 31

Version number 1

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Lower and upper explosion limit

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colour: Pale yellow to yellow

Odour: green

Odour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling range 100–105 °C (CAS: 32210-23-4 4-tert-butylcyclohexyl acetate)

Flammability Not applicable.

Lower: Not determined.
Upper: Not determined.

Flash point: 70–100 °C (CAS: 78-70-6 Linalool)

Ignition temperature: 332 °C (CAS: 25265-71-8 Dipropylene glycol (isomer unspecified))

Decomposition temperature: Not determined.

pH Mixture is non-soluble (in water).

Viscosity:

Kinematic viscosity Dynamic:Not determined.
Not determined.

Solubility

water: Insoluble (10%)



according to 1907/2006/EC, Article 31

Version number 1

alcohols:Partly soluble.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure at 25 °C:0 hPa

Density and/or relative density

Density:Not determined.Relative densityNot determined.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Oily

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

 Organic solvents:
 0.1 %

 VOC (EC)
 0.06 %

 VOCV (CH)
 0.00 %

 Solids content:
 4 %

 Point at live index
 1.481.14

Refractive index 1.481-1.491

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void Flammable gases Void **Aerosols** Void Void **Oxidising gases** Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in Void contact with water **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void **Corrosive to metals** Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5** Incompatible materials: No further relevant information available.



according to 1907/2006/EC, Article 31

Version number 1

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 42500 mg/kg

CAS: 78-70-6 Linalool

Oral LD50 2790 mg/kg

Dermal LD50 5610 mg/kg

CAS: 32210-23-4 4-tert-butylcyclohexyl acetate

Oral LD50 5000 mg/kg

CAS: 120-51-4 Benzyl benzoate

Oral LD50 1700 mg/kg
Dermal LD50 4000 mg/kg
CAS: 106-22-9 dl-Citronellol

Oral LD50 3450 mg/kg Dermal LD50 2650 mg/kg CAS: 5392-40-5 Citral

Oral LD50 4960 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

11.2 Information on other hazards

Endocrine disrupting properties

CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super): List II

CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: List II

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark:

Very toxic for fish Toxic for fish



according to 1907/2006/EC, Article 31

Version number 1

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

Toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN3082

14.2 UN proper shipping name

ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-

(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

(Iso-E super), alpha-Amylcinnamaldehyde)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-

(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

(Iso-E super), alpha-Amylcinnamaldehyde), MARINE POLLUTANT

IATA Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super),

alpha-Amylcinnamaldehyde)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles.

Label

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards:

Marine pollutant:Symbol (fish and tree)Special marking (ADR):Symbol (fish and tree)Special marking (IATA):Symbol (fish and tree)

14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code): 90
EMS Number: F-A,S-F
Stowage Category A



according to 1907/2006/EC, Article 31

Version number 1

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category 3
Tunnel restriction code (-)

IMDG

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-

(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL) ETHANONE (ISO-E SUPER), ALPHA-AMYLCINNAMALDEHYDE), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07



Signal word Warning

Hazard-determining components of labelling:

alpha-Hexylcinnamaldehyde alpha-Amylcinnamaldehyde

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Linalool

4-tert-butylcyclohexyl acetate

linalyl acetate

Texas cedarwood oil

geranyl acetate

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde)

Nervl acetate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.



according to 1907/2006/EC, Article 31

Version number 1

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Technical department

Technical department

msds@escentscia.uk

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4



according to 1907/2006/EC, Article 31

Version number 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Carc. 2: Carcinogenicity – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1 $\,$

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3