

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product identification:** Concentrated mixture of aromatic raw materials (fragrance)

**Name:** TONKA - STYLE RANGE

### 1.2 Relevant identified uses of the mixture

Manufacturing use only. Not for personal use in this form or concentration

### 1.3 Details of the supplier of the safety data sheet

Company: Escentscia Limited

Address: 6 Pioneer Park, Clough Road, Hull. HU6 7HW UK.

e-mail: [msds@escentscia.uk](mailto:msds@escentscia.uk)

website: [www.escentscia.uk](http://www.escentscia.uk)

Telephone: +44 (0)1482 332766

### 1.4 Emergency telephone number

Emergency telephone number: +44 (0)1482 332766

Opening hours: 09:00-16:00, Monday - Friday

**Further information obtainable from:** Technical Department

### 1.4 Emergency telephone number:

National Poisons Information Service

+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1



Skin Irrit. 2 H315 Causes skin irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.

## 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

### Hazard pictograms



GHS07 GHS09

**Signal word** Warning

### Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)  
Juniperus Virginiana Oil (Cedarwood oil Virginia)  
Coumarin  
Acetyl cedrene (Vertofix)  
Bulnesia sarmienti, ext., acetate  
Oils, guaiac wood

### Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P321 Specific treatment (see on this label).  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.  
**vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

# Safety data sheet

## according to 1907/2006/EC, Article 31

Version number 1

### Dangerous components:

CAS: 54464-57-2	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)	≤10%
EINECS: 259-174-3	⚠ Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 65113-99-7	5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol (Sandalore)	≤2.5%
EINECS: 265-453-0	⚠ Aquatic Chronic 2, H411; ⚠ Eye Irrit. 2, H319	
CAS: 85085-41-2	Juniperus Virginiana Oil (Cedarwood oil Virginia)	≤2.5%
EINECS: 285-370-3	⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 91-64-5	Coumarin	≥1–<2.5%
EINECS: 202-086-7	⚠ Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 32388-55-9	Acetyl cedrene (Vertofix)	≥0.1–<0.25%
EINECS: 251-020-3	⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1, H317	
CAS: 81-14-1	musk ketone	≥0.1–<0.25%
EINECS: 201-328-9	⚠ Carc. 2, H351; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 94333-88-7	Bulnesia sarmienti, ext., acetate	≥0.1–<0.25%
EC number: 305-067-2	⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 8016-23-7	Oils, guaiac wood	≥0.1–<0.25%
EINECS: 289-632-8	⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	

### Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes (coumarine)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

# Safety data sheet

## according to 1907/2006/EC, Article 31

Version number 1

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** Store receptacle in a well ventilated area.

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see item 7.



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## Individual protection measures, such as personal protective equipment

### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.

### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Goggles recommended during refilling

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

Physical state	Fluid
Colour:	colourless to pale yellow
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	292 °C (CAS: 6938-94-9 DI ISO PROPYL ADIPATE)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	70–100 °C (CAS: 6938-94-9 DI ISO PROPYL ADIPATE)
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Insoluble (10%)
alcohols:	Partly miscible.

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
<b>9.2 Other information</b>	
Appearance:	
Form:	Oily
<b>Important information on protection of health and environment, and on safety.</b>	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	0.00 %
VOCV (CH)	0.00 %
Solids content:	1.7 %
Refractive index	1.427-1.467
Change in condition	
Evaporation rate	Not determined.
<b>Information with regard to physical hazard classes</b>	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

# Safety data sheet

## according to 1907/2006/EC, Article 31

Version number 1

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

##### LD/LC50 values relevant for classification:

##### ATE (Acute Toxicity Estimates)

Oral LD50 50000 mg/kg

##### CAS: 85085-41-2 Juniperus Virginiana Oil (Cedarwood oil Virginia)

Oral LD50 >5000 mg/kg

Dermal LD50 >5000 mg/kg

##### CAS: 91-64-5 Coumarin

Oral LD50 293 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

#### 11.2 Information on other hazards

##### Endocrine disrupting properties

CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super): List II

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

#### 12.7 Other adverse effects

**Remark:** Toxic for fish

#### Additional ecological information:

##### General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR, IMDG, IATA

UN3082

### 14.2 UN proper shipping name

ADR

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super), Juniperus Virginiana Oil (Cedarwood oil Virginia))

IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super), Juniperus Virginiana Oil (Cedarwood oil Virginia)), MARINE POLLUTANT

IATA

Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super), Juniperus Virginiana Oil (Cedarwood oil Virginia))

### 14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

9 Miscellaneous dangerous substances and articles.

Label

9

### 14.4 Packing group

ADR, IMDG, IATA

III

### 14.5 Environmental hazards:

Marine pollutant:

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

### 14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

Stowage Category

A

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

### Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

(-)

IMDG

Limited quantities (LQ)

5L



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

## UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL) ETHANONE (ISO-E SUPER), JUNIPERUS VIRGINIANA OIL (CEDARWOOD OIL VIRGINIA)), 9, III

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

#### Hazard pictograms



GHS07

GHS09

**Signal word** Warning

#### Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Juniperus Virginiana Oil (Cedarwood oil Virginia)

Coumarin

Acetyl cedrene (Vertofix)

Bulnesia sarmienti, ext., acetate

Oils, guaiac wood

#### Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category** E2 Hazardous to the Aquatic Environment

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

# Safety data sheet

## according to 1907/2006/EC, Article 31

Version number 1

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Department issuing SDS:** Technical department

#### Contact:

Technical department  
msds@escentscia.uk

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Carc. 2: Carcinogenicity – Category 2  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3